Reading

Interior





R777	Tilt/Flip/Rotate
Dimensions D112 x H55mm	Cut Out Ø 106mm
Watts 3W	Lumens 138lm
Beam 36°	Tilt 180° Rotate 355°

# **Specifications**

Input	240V AC
Colour Temp	3000K
CRI	90
Lifespan	50,000hrs
Binning	SDCM 3
Material	Aluminium
Driver	Included
Dimming/Control	Non-dimmable
TLAs	"Flicker-free", PstLM ≤1.0; SVM ≤0.4
Classification	IC Rated
Application	Interior only, suitable for low/zero clearance installs
Warranty	5 Year Warranty







# Available In

Description	Code
R777 - Tilt/Flip/R	otate
White	R777 WL
Black	R777 BL
Silver	R777 SL

## Note

R777 flips 180 degrees to hide diode when not in use, reverse side has a clear indicator light for easy location in the dark.









S315 Adjustable with switch

Dimensions L115 x D79mm. Base Ø85mmSpot Ø35mmWatts 4WLumens 160lmBeam 15°Tilt 90° Rotate 350°

### **Specifications**

Input	240V AC
Colour Temp	3000K
CRI	90
Lifespan	50,000hrs
Binning	SDCM 3
Material	Aluminium
Driver	Incorporated
Dimming/Control	TRIAC Dimmable
TLAs	"Flicker-free", PstLM≤1.0; SVM ≤0.4
Electrical Class	Class I luminaire, requires earth
Application	Interior, surface mount
Warranty	5 Year Warranty





ite

Available In

Description	Code	
S315 - Adjustable with Switch		
White	S315 W3	
Black	S315 B3	

#### Note

S315 features a slimline on/off rocker switch and has been pre-set to the ideal reading light intensity. If further adjustability is desired, configure the circuit with Leading/ Trailing Edge dimmer so the spot can be dimmed to custom settings and operated via on/off override on luminaire.









S319	Standard	Switch
<b>Spot</b> Ø25mm x L130mm		<b>Base</b> W40 x D30 x H130mm
Watts 3W		Lumens 150lm
Beam 24°		Tilt 55° Rotate 355°

## **Specifications**

Input	240V AC
Colour Temp	3000K
CRI	90
Lifespan	50,000 hours (L70 B20)
Binning	SDCM 3
Material	Aluminium
IP Rating	IP20
Driver	Incorporated
Dimming/Control	TRIAC Dimmable
TLAs	"Flicker-free", PstLM ≤1.0; SVM ≤0.4
Electrical Class	Class I luminaire, requires earth
Application	Interior, surface mount. Horizontal or vertical.
Warranty	5 Year Warranty



Description	Code	
S319 - Standard		
White	S319-W3K-NS	
Black	S319-B3K-NS	
Corten	S319-COR3K-NS	
Dark Bronze	S319-DBR3K-NS	
Light Bronze	S319-LBR3K-NS	







White

Black

Con





Dark Bronze Light Bronze



