

Step / Wall

Exterior



R935	Round
Dimensions D80 x H36mm	Cut Out Ø 60mm
Watts 3W	Lumens 80lm
Beam 40°	




R936	Square
Dimensions L80 x W80 x D36mm	Cut Out Ø 60mm
Watts 3W	Lumens 80lm
Beam 40°	

Specifications

Input	700mA DC Constant Current
Colour Temp	3000K
CRI	80
Lifespan	40,000hrs (L80 B10)
Material	Aluminium or 316 STS
IP Rating	IP65
Classification	IC Rated
Driver	Sold separately
Optional	Can be run at 350mA to decrease wattage and output by 20%
Dimming/Control	Dimmable
Application	Interior or exterior, recessed, suitable for zero clearance installs
Warranty	5 Year Warranty

Accessories

Description	Code
Concrete Installation Plastic Housing (cutout Ø78mm)	R935 HO



Available In

Description	Code
R935 - Round	
White	R935 W3
Brushed 316 STS	R935 BS3
Black	R935 B3
R936 - Square	
Brushed 316 STS	R936 BS3
Black	R936 B3



EX183

Low Glare

Dimensions

L96 x W96 x D110mm (6.5 Lip)

Cut Out

83 x 83mm

Watts

1.2W

Lumens


60lm

Beam

90°

Specifications

Input	350mA DC Constant Current
Colour Temp	Selectable 3000K or 4000K
CRI	90
Lifespan	>60,000hrs (L80 B50)
Binning	SDCM 3
Material	Aluminium
IP Rating	IP65
Classification	IC Rated
Driver	Sold separately
Dimming/Control	Dimmable
Application	Exterior, recessed
Warranty	5 Year Warranty



Black

Available In

Description	Code
EX183 - Low Glare	
Black	EX183 B34

Optional Accessories

Description	Code
Concrete installation housing L86 x W86 x D103mm	EX183 PHO



EX900 Round

Dimensions D90 x H36mm	Beam 120°
Watts 3W	Lumens <95lm
Cut Out Ø 72mm (Ø 76mm if using housing)	



EX901 Square

Dimensions L90 x W90 x D36mm	Beam 120°
Watts 3W	Lumens <145lm
Cut Out 72 x 72mm (83 x 83mm if using housing)	

Specifications

Input	24V DC Constant Voltage
Concrete Housing	EX900: D76 x H66mm, EX901: L83 x W83 x D66mm
Colour Temp	2700K
Lumens	EX900: White 95lm, Black 60lm EX901: White 145lm, Black 90lm
CRI	80
Lifespan	50,000hrs (L70 B10)
Material	Aluminium
IP Rating	IP65
Classification	IC Rated
Driver	Sold separately
Dimming/Control	Dimmable
Current Draw	0.13A per fitting
Application	Interior or Exterior, recessed
Warranty	5 Year Warranty



Available In

Description	Code
EX900 - Round	
White	EX900 W3
Matt Textured Black	EX900 B3
EX901 - Square	
White	EX901 W3
Matt Textured Black	EX901 B3



Comes complete with plastic housing accessory (pictured) for concrete installation



Pictured: EX901 Recessed Step Light



EX912	Round Small
Dimensions D100 x H40mm	Beam 90°
Watts <2.5W	Lumens <170lm



EX913	Round Medium
Dimensions D140 x H44mm	Beam 90°
Watts 4W	Lumens 350lm



EX914	Square Medium
Dimensions L130 x W130 x H37mm	Beam 90°
Watts 4W	Lumens 350lm



EX916	Square Large
Dimensions L170 x W170 x H42mm	Beam 90°
Watts 8W	Lumens 650lm



EX915

Dimensions D190 x H51mm

Watts 8W

Round Large

Beam 90°


Lumens 650lm

Specifications


Input	240V AC. EX912 B34DC: 24V DC Constant Voltage
Colour Temp	Selectable 3000K or 4000K
CRI	90
Lifespan	50,000hrs
Binning	SDCM 3
Material	Aluminium
IP Rating	IP65
IK Rating	IK06
Driver	Incorporated, 500mA (240V). EX912 B34DC: not incorporated 24V DC, driver required.
Dimming/Control	Non-dimmable
Electrical Class	Class I luminaire, requires earth. EX912 B34DC: Class III
Application	Exterior, surface mount
Warranty	5 Year Warranty

Available In


Description	Code
EX912 - Round Small	
Black	EX912 B34
Black, (24V DC)	EX912 B34DC
EX913 - Round Medium	
Black	EX913 B34
EX914 - Square Medium	
Black	EX914 B34
EX915 - Round Large	
Black	EX915 B34
EX916 - Square Large	
Black	EX916 B34




Black




EX912




EX913



EX914



EX915



EX916



EX190

Low Profile

Dimensions D83 x H22mm

Beam 90°

Watts 3W

Lumens 100lm

Specifications

Input	12/24V DC Constant Voltage
Colour Temp	3000K
CRI	80
Lifespan	40,000hrs
Material	316 Stainless Steel or Copper
IP Rating	IP65
Driver	Sold separately. 12 or 24V Constant Voltage. When run on 12V light output and diode lifespan is decreased by 35%
Dimming/Control	Non-dimmable
Application	Exterior, surface mount
Warranty	5 Year Warranty



Available In

Description	Code
EX190 - Low Profile	
Copper	EX190 SMCOL
316 STS Polished	EX190 SMSSPL
316 STS	EX190 SMSSL
316 STS White	EX190 SMWL
316 STS Black	EX190 SMBL